

Package: planscorer (via r-universe)

July 25, 2024

Title Score Redistricting Plans with 'PlanScore'

Version 0.0.1

Description Provides access to the 'PlanScore' Application Programming Interface ([\(<https://github.com/PlanScore/PlanScore/blob/main/API.md>](https://github.com/PlanScore/PlanScore/blob/main/API.md)) for scoring redistricting plans. Allows for upload of plans from block assignment files and shape files. For shapes in memory, such as from 'sf' or 'redist', it processes them to save and upload. Includes tools for tidying responses and saving output from the website.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Imports cli, curl, dplyr, fs, httr2, jsonlite, purrr, readr, rlang, sf, stringr, tibble, tidyr, webshot2

URL <http://christophertkenny.com/planscorer/>,
<https://github.com/christopherkenny/planscorer>

BugReports <https://github.com/christopherkenny/planscorer/issues>

Suggests httptest2, spelling, testthat (>= 3.0.0)

Config/testthat/edition 3

Language en-US

Repository <https://christopherkenny.r-universe.dev>

RemoteUrl <https://github.com/christopherkenny/planscorer>

RemoteRef HEAD

RemoteSha 668f1f67d91879308d05c04457e95aa7d86f8347

Contents

key	2
ps_capture	2
ps_ingest	3
ps_model_versions	4
ps_save	4
ps_set_key	5
ps_supported_states	5
upload	6

Index	8
--------------	----------

key	<i>Check or Get PlanScore API Key</i>
-----	---------------------------------------

Description

Check or Get PlanScore API Key

Usage

ps_has_key()

ps_get_key()

Value

logical if has, key invisibly if get

Examples

ps_has_key()

ps_capture	<i>Capture PlanScore Graphs</i>
------------	---------------------------------

Description

Capture PlanScore Graphs

Usage

ps_capture(link, path)

Arguments

link plan_url output from ps_upload() functions
path path to save copy of graphs in, likely ending in .png

Value

path to screenshot

Examples

```
# often times out  
url <- 'https://planscore.org/plan.html?20221127T213653.168557156Z'  
tf <- tempfile(fileext = '.png')  
ps_capture(url, path = tf)
```

ps_ingest *Ingest PlanScore Output*

Description

Ingest PlanScore Output

Usage

```
ps_ingest(link)
```

Arguments

link index url output from ps_upload() functions

Value

tibble with district and plan level data

Examples

```
url <- 'https://planscore.s3.amazonaws.com/uploads/20221127T213653.168557156Z/index.json'  
ps_ingest(url)
```

ps_model_versions	<i>List Model Versions</i>
-------------------	----------------------------

Description

List Model Versions

Usage

```
ps_model_versions()
```

Value

tibble of model versions

Examples

```
ps_model_versions()
```

ps_save	<i>Save PlanScore Output</i>
---------	------------------------------

Description

Save PlanScore Output

Usage

```
ps_save(link, path, json = TRUE)
```

Arguments

link	index url output from ps_upload() functions
path	path to save copy of data in, likely ending in .json if json = TRUE or .tsv if json = FALSE.
json	should the file be saved as .json (TRUE) or .tsv (FALSE). json = TRUE is slower but contains more information.

Value

path to json file

Examples

```
url <- 'https://planscore.s3.amazonaws.com/uploads/20221127T213653.168557156Z/index.json'
tf <- tempfile(fileext = '.json')
ps_save(url, tf)
```

ps_set_key	<i>Add Entry to Renviron</i>
------------	------------------------------

Description

Adds PlanScore API key to .Renviron.

Usage

```
ps_set_key(key, overwrite = FALSE, install = FALSE)
```

Arguments

key	Character. API key to add to add.
overwrite	Defaults to FALSE. Boolean. Should existing PLANSORE_KEY in Renviron be overwritten?
install	Defaults to FALSE. Boolean. Should this be added '~/.Renviron' file?

Value

key, invisibly

Examples

```
## Not run:  
set_planscore_key('1234')  
  
## End(Not run)
```

ps_supported_states	<i>List Currently Supported States</i>
---------------------	--

Description

List Currently Supported States

Usage

```
ps_supported_states()
```

Value

tibble of supported states

Examples

```
ps_supported_states()
```

upload	<i>Upload to PlanScore</i>
--------	----------------------------

Description

Upload to PlanScore

Usage

```
ps_upload_file(
  file,
  description = NULL,
  incumbents = NULL,
  model_version = NULL,
  library_metadata = NULL,
  temporary = TRUE
)

ps_upload_redist(map, plans, draw, ...)

ps_upload_shp(shp, ...)
```

Arguments

file	file to upload, one of a geojson, block assignment file, or zipped shape file
description	text for plan description
incumbents	Incumbent party, one of 'D' (Democrat), 'R' (Republican), or 'O' (Open) for each district. Assumes 'O' if none is provided.#'
model_version	character model version to use. Available options are listed by ps_model_versions() .
library_metadata	Any additional data to be passed through for possible later use. For advanced use: Should likely be left NULL.
temporary	Should a temporary PlanScore upload be used? Default is TRUE.
map	a <code>redist_map</code> object
plans	a <code>redist_plans</code> object
draw	the draw to use from plans
...	arguments to pass on to <code>ps_upload_file()</code>
shp	an <code>sf</code> shape to upload, where each entry is a district

Value

list of links to index and plan, on success

Examples

```
# Requires API Key  
file <- system.file('extdata/null-plan-incumbency.geojson', package = 'planscorer')  
ps_upload_file(file)
```

Index

- * **info**
 - ps_model_versions, 4
 - ps_supported_states, 5
- * **key**
 - key, 2
 - ps_set_key, 5
- * **results**
 - ps_capture, 2
 - ps_ingest, 3
 - ps_save, 4
- * **upload**
 - upload, 6

key, 2

ps_capture, 2

ps_get_key (key), 2

ps_has_key (key), 2

ps_ingest, 3

ps_model_versions, 4

ps_model_versions(), 6

ps_save, 4

ps_set_key, 5

ps_supported_states, 5

ps_upload_file (upload), 6

ps_upload_redis (upload), 6

ps_upload_shp (upload), 6

upload, 6