

Package: redistverse (via r-universe)

September 21, 2026

Title Easily Install and Load Redistricting Software

Version 0.1.2

Description Easy installation, loading, and control of packages for redistricting data downloading, spatial data processing, simulation, analysis, and visualization. This package makes it easy to install and load multiple 'redistverse' packages at once. The 'redistverse' is developed and maintained by the Algorithm-Assisted Redistricting Methodology (ALARM) Project. For more details see <<https://alarm-redist.org>>.

Depends R (>= 4.0.0)

Imports redist, redistmetrics, geomander, ggredist, sf, censable, tinytiger, easycensus, PL94171, alarmdata, cli, birdie, baf

Suggests wacolors, testthat (>= 3.0.0), spelling

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

URL <https://github.com/alarm-redist/redistverse>,
<https://alarm-redist.org/redistverse/>

BugReports <https://github.com/alarm-redist/redistverse/issues>

Config/testthat/edition 3

Language en-US

Config/pak/sysreqs libabsl-dev cmake libgdal-dev gdal-bin libgeos-dev make libicu-dev libuv1-dev libxml2-dev libssl-dev libproj-dev libsqlite3-dev libudunits2-dev libx11-dev zlib1g-dev

Repository <https://christopherkenny.r-universe.dev>

Date/Publication 2025-12-14 22:50:20 UTC

RemoteUrl <https://github.com/alarm-redist/redistverse>

RemoteRef HEAD

RemoteSha 0b6134181610860eea1450726f8f91c2a8edd6bb

Contents

redistverse_logo	2
use_redistverse_r_universe	2
Index	3

redistverse_logo	<i>Print the 'redistverse' logo using ASCII characters</i>
------------------	--

Description

Print the 'redistverse' logo using ASCII characters

Usage

redistverse_logo()

Value

NULL, invisibly

Examples

redistverse_logo()

use_redistverse_r_universe	<i>Use r-universe Packages for redistverse</i>
----------------------------	--

Description

Use r-universe Packages for redistverse

Usage

use_redistverse_r_universe()

Value

formatted code to use r-universe

Examples

use_redistverse_r_universe()

Index

redistverse_logo, [2](#)

use_redistverse_r_universe, [2](#)