

# Package: redistverse (via r-universe)

July 19, 2024

**Title** Easily Install and Load Redistricting Software

**Version** 0.1.0

**Description** Easy installation, loading, and control of packages for redistricting data downloading, spatial data processing, simulation, analysis, and visualization. This package makes it easy to install and load multiple 'redistverse' packages at once. The 'redistverse' is developed and maintained by the Algorithm-Assisted Redistricting Methodology (ALARM) Project. For more details see <<https://alarm-redist.org>>.

**Depends** R (>= 4.0.0)

**Imports** redist, redistmetrics, geomander, ggredist, sf, censable, tinytiger, easycensus, PL94171, alarndata, cli, birdie

**Suggests** wacolors, testthat (>= 3.0.0), spelling

**License** MIT + file LICENSE

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.1

**URL** <https://github.com/alarm-redist/redistverse>,  
<https://alarm-redist.org/redistverse/>

**BugReports** <https://github.com/alarm-redist/redistverse/issues>

**Config/testthat.edition** 3

**Language** en-US

**Repository** <https://christopherkenny.r-universe.dev>

**RemoteUrl** <https://github.com/alarm-redist/redistverse>

**RemoteRef** HEAD

**RemoteSha** 227e0893335651a4198ec54cbbb19c916b77cc29

## Contents

redistverse_logo . . . . .	2
use_redistverse_r_universe . . . . .	2

**Index****3**

---

`redistverse_logo`      *Print the 'redistverse' logo using ASCII characters*

---

**Description**

Print the 'redistverse' logo using ASCII characters

**Usage**

`redistverse_logo()`

**Value**

`NULL`, `invisibly`

**Examples**

`redistverse_logo()`

---

`use_redistverse_r_universe`      *Use r-universe Packages for redistverse*

---

**Description**

Use r-universe Packages for redistverse

**Usage**

`use_redistverse_r_universe()`

**Value**

formatted code to use r-universe

**Examples**

`use_redistverse_r_universe()`

# Index

`redistverse_logo`, [2](#)

`use_redistverse_r_universe`, [2](#)